

Data sheet

ERGOGRIP SK12



GENERAL

Art. no.:	L-0259-1,5
EAN:	4030281120049
Standard:	EN 358:2018

E-class number:	40-02-01-90
Customs no.:	56090000

Data sheet

ERGOG RIP SK12

Holding ropes are for getting into the right working position. The core-sheathed ropes used by SKYLOTEC can withstand extreme edge loads, are resistant to abrasion, remain soft in damp conditions and feature a long service life. It is an extremely simple matter to adjust the Ergogrip range with self-locking karabiners with one hand.

FEATURES

Colour:	white
Diameter:	12,00 mm
Hand-washing:	40 °C
Max. service life:	10 Years
Max. number of persons:	1
Temperature:	from 45 °C to -35 °C
Suspension element:	KM12
Area of application:	Power Supplies / -Transmission / Telecommunications, Wind Energy / Offshore Industry

DIMENSIONS

Size:	1,5m
Weight:	1,24 kg

HARDWARE

Carabiner on device:	STEEL D TRI
Carabiner on rope:	STEEL D TRI

MATERIAL

Material:	Polyamide, Steel, Aluminium
Rope material:	Polyamide

Data sheet

ERGOG RIP SK12



GENERAL

Art. no.:	L-0259-2
EAN:	4030281117544
Standard:	EN 358:2018

E-class number:	40-02-01-90
Customs no.:	56090000

Data sheet

ERGOG RIP SK12

Holding ropes are for getting into the right working position. The core-sheathed ropes used by SKYLOTEC can withstand extreme edge loads, are resistant to abrasion, remain soft in damp conditions and feature a long service life. It is an extremely simple matter to adjust the Ergogrip range with self-locking karabiners with one hand.

FEATURES

Colour:	white
Diameter:	12,00 mm
Hand-washing:	40 °C
Max. service life:	10 Years
Max. number of persons:	1
Temperature:	from 45 °C to -35 °C
Suspension element:	KM12

DIMENSIONS

Size:	2m
Weight:	1,28 kg

HARDWARE

Carabiner on device:	STEEL D TRI
Carabiner on rope:	STEEL D TRI

MATERIAL

Material:

Polyamide, Steel, Aluminium

Rope material: Polyamide
