

DATASHEET

RAPTOR C20 HUB D



GENERAL

Art.Nr:	HSG-044-20-D	Standards:	EN 1496-A:2017,EN 360:2002
GTIN:	4030281023364	Net weight:	15.01 kg
E-class number:	40-02-01-03	Gross weight:	15.01 kg
Customs tariff number:	84798997		

DATASHEET

RAPTOR C20 HUB D

The RAPTOR HUB fall arrester with a 20 m long steel cable and automatic blocking function enables safe working at height and at depth. In contrast to RAPTOR, RAPTOR HUB is also equipped with a rescue lifting device that can be activated in an emergency and enables a quick rescue. After verification by a competent person, the device is ready for use again after the rescue lifting device has been used, which increases its cost-effectiveness.

RAPTOR HUB offers maximum application possibilities, as it can be used both independently at EN795 anchor points and in combination with the individual bracket ACS-0164-JPD for the JACKPOD DAVIT. The bracket can remain attached to the mobile attachment points when the device is removed.

RAPTOR HUB has a modular design so that sub-assemblies can be replaced, which increases the longevity of the devices and leads to lower maintenance costs. The retractable type fall arrester has two visible fall indicators that show the product's functionality from the outside. A red indicator signals to the user as soon as the device needs to be checked. The well thought-out housing design also enables space-saving and device-friendly storage.

The device is certified according to EN 360:2002, EN 1496:2017/A and secures a person with a maximum user weight of 140 kg.

- Versatile use due to additional equipment with a rescue lifting device
- Easy and economical maintenance thanks to modular design and two drop-down displays
- High durability thanks to interchangeable

FEATURES

Application areas:	Rescue, Various
--------------------	-----------------

Colour:	Black
---------	-------

Edge approved:	No
----------------	----

Max. user weight horizontal:	0.00 kg
------------------------------	---------

Maximum user weight vertical:	140.00 kg
-------------------------------	-----------

Maximum lifetime:	20 years
-------------------	----------

Maximum number of persons:	1
----------------------------	---

Maximum temperature:	45 °C
----------------------	-------

Minimum user weight:	40.00 kg
----------------------	----------

Minimum temperature:	-35 °C
----------------------	--------

DIMENSIONS

Rope length:	20.00 m
--------------	---------

MATERIAL

Material:	Various
-----------	---------

DATASHEET

RAPTOR C20 HUB D

assemblies

- Space-saving storage and optimal handling thanks to special housing design